




Bearing Argentina

35 mm x 47 mm x 7 mm NTN 6807 deep groove ball bearings



Bearing No. 6807

6807 Bearing 2D drawings and 3D CAD models

Size	35x47x7 mm
Bore Diameter	35 mm
Outer Diameter	47 mm
Width	7 mm
d	35 mm
D	47 mm
B	7 mm
C	7 mm
r min.	0,3 mm
da min.	37 mm
da max	38 mm
Da max.	45 mm
ra max.	0,3 mm
Weight	0,029 Kg
Basic dynamic load rating (C)	4,9 kN
Basic static load rating (C0)	4,05 kN
(Grease) Lubrication Speed	13 000 r/min
(Oil) Lubrication Speed	16 000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.029
EAN	4547359006193
Product Group	B00308



Bearing Argentina

Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	35MM Bore; 47MM Outside Diameter; 7MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	6807
Weight / LBS	0.064
Outside Diameter	1.85 Inch 47 Millimeter
Outer Race Width	0.276 Inch 7 Millimeter
Bore	1.378 Inch 35 Millimeter
bore diameter:	35 mm
precision rating:	Class 0
outside diameter:	47 mm
finish/coating:	Uncoated
overall width:	7 mm
bearing material:	High Carbon Chrome Steel



Bearing Argentina

bore type:	Round
cage material:	Steel
closure type:	Open
inner ring width:	7 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	7 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	13000 rpm
internal clearance:	CN
maximum rpm (oil):	16000 rpm
operating temperature range:	-40 to 120 ° C
fillet radius:	0.3 mm
dynamic load capacity:	4900 N
manufacturer product page:	Click here
static load capacity:	4050 N